

**NEWS RELEASE
FOR IMMEDIATE RELEASE**

Contact:

Fiona Macnab

Executive Publisher

Elsevier

+44 20 7424 4259

hmsmedia@elsevier.com

Yellow Fever Epidemic Threatens to Spread from Angola to China

Action needs to be taken now in order to avert a global catastrophe, according to noted experts reporting in the *International Journal of Infectious Diseases*

London, UK, May 23, 2016 – The spread of yellow fever (YF) is a global health threat. In response to current outbreaks in Angola, other African countries, and China, which represents the first ever documented cases of YF in Asia, the World Health Organization (WHO) convened an emergency committee on May 19, 2016 to underscore the severity of the outbreak. In the current issue of the *International Journal of Infectious Diseases*, noted infectious disease authorities from South Africa and Singapore explain the epidemiology and ecology of YF and discuss the factors that can increase and decrease the likelihood of progression from outbreak to epidemic.


While the YF vaccine is very effective, the WHO is concerned that the outbreak in unvaccinated populations poses a strong risk of epidemics both in Asia and Africa. However, despite repeated references to the limited supply of vaccine, WHO did not declare the present outbreak “a global health emergency,” because the outbreak appears to be coming under control, and did not recommend lowering the dose of vaccine to extend the supply.

Unfortunately, this is a misapprehension of the actual situation. As of 19 May 2016, Angola has reported 2420 suspected cases of YF with 298 deaths (WHO Situation Report Yellow Fever 20 May 2016). Among those cases, 736 have been laboratory confirmed. Despite vaccination campaigns in Luanda, Huambo, and Benguela provinces, circulation of the virus in some districts persists. As long ago as February, a WHO expert, after visiting the country, reported that the true figures could be actually 10-50 times more, meaning many thousands of cases and hundreds of deaths.

In most of the world YF is the subject of history books. Responsible for tens of thousands of deaths, the last recorded outbreak in Europe was in 1905 in Gibraltar and in the United States in New Orleans the same year. While YF traveled slowly around the world by ship in the past, it can now move quickly by air, infecting unvaccinated populations overnight. With this increasing risk, the world's annual vaccine production of just over 40 million doses is not nearly sufficient to replenish emergency stockpiles and contain outbreaks if YF follows the same path as dengue, chikungunya, and Zika, also spread by *Aedes* mosquitoes. Historically, market forces have always kept the YF vaccine supply below demand.

“The current scenario of a YF outbreak in Angola, where there is a large Chinese workforce, most of whom are unvaccinated, coupled with high volumes of air travel to an environment conducive to transmission in Asia, is unprecedented in history,” warns lead author Sean Wasserman, MBChB, of the University of Cape Town, Cape Town, South Africa. “These conditions raise the alarming possibility of a

YF epidemic, with a case fatality of up to 50%, in a region with a susceptible population of two billion people and where there is extremely limited infrastructure to respond effectively.”



Caption: Map showing the distribution of *Aedes aegypti* across Africa and the Asia-Pacific region (areas shaded pink). The red outline delineates yellow fever-endemic regions. Yellow dots represent the location of yellow fever cases related to the Angolan outbreak (source: HealthMap). Commercial flight routes with direct connections between Luanda and Beijing and indirect connections from Luanda to South and Southeast Asia via Dubai (source: FLIRT) are also represented.

The growing number of imported cases in China shows how critical it is to recognize this risk now in order to take adequate preemptive action so that a global catastrophe can be averted.

Epidemic YF in the Americas was successfully controlled through mass vaccination and mosquito reduction programs. Failure to sustain vector control and vaccination programs has led to the reinvasion of *A. aegypti* across large swaths of the Americas, as evidenced by ongoing chikungunya and Zika outbreaks. “If sufficient YF cases occur in cities to facilitate urban transmission, we may yet see YF epidemics again in the Americas,” cautions Dr. Wasserman.”

In an accompanying editorial, J.P. Woodall, PhD, from ProMED, International Society for Infectious Diseases, Brookline, MA, USA, and T.M. Yuill, PhD, from the University of Wisconsin-Madison, USA emphasize that the Angola outbreak could result in the spread of YF outside of both Africa and China and that WHO alone may not have sufficient resources to contain the infection. They suggest that the United Nations may have the necessary funds and can call in multiple relief agencies to attack the epidemic.

They explain that that mosquito control alone has not been successful for stopping dengue fever and outbreaks in the tropics of Zika, another virus carried by *A. aegypti*. They also have little confidence in border controls being effective due to corruption and inefficiencies.

“In the final analysis, vaccination is the only solution, but there are concerns that the world may run out of doses,” according to Dr. Woodall and Dr. Yuill. “There could be a solution. Studies have shown that the vaccine is so potent that one fifth of a dose immunizes just as well – so an existing five-dose vial could protect 25 people. The WHO has the authority to declare temporary use of the lower dose, which would usefully expand the supply.”

###

NOTES FOR EDITORS

“Yellow fever cases in Asia: primed for an epidemic” by Sean Wasserman, Paul Anantharajah Tambyah, and Poh Lian Lim, DOI: <http://dx.doi.org/10.1016/j.ijid.2016.04.025>. The article is openly available at [http://www.ijidonline.com/article/S1201-9712\(16\)31043-8/pdf](http://www.ijidonline.com/article/S1201-9712(16)31043-8/pdf).

Author contact: Sean Wasserman at sean.wasserman@gmail.com

Editorial

“Why is the yellow fever outbreak in Angola a ‘threat to the entire world’?” by J.P. Woodall and T.M. Yuill, DOI: <http://dx.doi.org/doi:10.1016/j.ijid.2016.05.001>. This editorial is openly available at [http://www.ijidonline.com/article/S1201-9712\(16\)31044-X/pdf](http://www.ijidonline.com/article/S1201-9712(16)31044-X/pdf). Author contact: Jack Woodall at jackwoodall13@gmail.com

Both are available online in advance of the *International Journal of Infectious Diseases*, Volume 48 (July 2016), published by Elsevier.

ABOUT THE *INTERNATIONAL JOURNAL OF INFECTIOUS DISEASES*

The International Journal of Infectious Diseases (IJID) is published by the International Society for Infectious Diseases (www.isid.org). IJID is a peer-reviewed, open access journal and publishes original clinical and laboratory-based research, together with reports of clinical trials, reviews, and some case reports dealing with the epidemiology, clinical diagnosis, treatment, and control of infectious diseases with particular emphasis placed on those diseases that are most common in under-resourced countries. www.ijidonline.com

ABOUT ELSEVIER

Elsevier (www.elsevier.com) is a world-leading provider of information solutions that enhance the performance of science, health, and technology professionals, empowering them to make better decisions, deliver better care, and sometimes make groundbreaking discoveries that advance the boundaries of knowledge and human progress. Elsevier provides web-based, digital solutions — among them ScienceDirect (www.sciencedirect.com), Scopus (www.scopus.com), Elsevier Research Intelligence (www.elsevier.com/research-intelligence), and ClinicalKey (www.clinicalkey.com) — and publishes over 2,500 journals, including *The Lancet* (www.thelancet.com) and *Cell* (www.cell.com), and more than 33,000 book titles, including a number of iconic reference works. Elsevier is part of RELX Group (www.relxgroup.com), a world-leading provider of information and analytics for professional and business customers across industries. www.elsevier.com